

Safety Data Sheet

Super Glider spray

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)
Issue date: 12/18/2020 Revision date: 12/18/2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Super Glider spray
Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Lubricant

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

AS TERJAN
Ole Deviks vei 16B
N-0666 OSLO - Norway
T 22 65 53 30
terjan@terjan.no - www.terjan.no

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182 +44 191 2606180	Hours of operation: 24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) : Danger
Hazard statements (CLP) : H222 - Extremely flammable aerosol.
H229 - Pressurised container: May burst if heated.
Precautionary statements (CLP) : P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Pressurized container: Do not pierce or burn, even after use.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P403 - Store in a well-ventilated place.
EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Safety Data Sheet

Super Glider spray

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
butane (Note C)(Note U)	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0 (REACH-no) 01-2119474691-32	40 – 70	Flam. Gas 1A, H220 Press. Gas (Liq.), H280
isobutane (Note C)(Note U)	(CAS-No.) 75-28-5 (EC-No.) 200-857-2 (EC Index-No.) 601-004-00-0 (REACH-no) 01-2119485395-27	40 – 70	Flam. Gas 1A, H220 Press. Gas
propane (Note U)	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (REACH-no) 01-2119486944-21	40 – 70	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note U (Table 3): When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the patient to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Drink a few glasses of water or milk. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: High concentration of vapours may induce: headache, nausea, dizziness.
Symptoms/effects after skin contact	: May cause moderate irritation.
Symptoms/effects after eye contact	: May cause slight irritation.
Symptoms/effects after ingestion	: Ingestion is not a likely route of exposure, the product is supplied as an aerosol.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide. Water spray. Sand. If possible, remove containers exposed to heat or cool with water.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Extremely flammable aerosol. Vapours are heavier than air and may spread near ground to sources of ignition.
Explosion hazard	: Do not pierce or burn, even after use. Containers can burst violently when heated, due to excess pressure build-up.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

Safety Data Sheet

Super Glider spray

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting

: Do not enter fire area without proper personal protective equipment, including respiratory protection (EN137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: No open flames. No smoking. No flames, no sparks. Eliminate all sources of ignition. Use special care to avoid static electric charges. Use non-sparking tools. Concerning personal protective equipment to use, see section 8.

6.1.1. For non-emergency personnel

Emergency procedures

: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment

: Equip cleanup and emergency crew with proper protection.

Emergency procedures

: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Hose down area with water.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Prevent the build-up of electrostatic charge. Provide good ventilation in process area to prevent formation of vapour. Wear appropriate personal protective equipment - see Section 8. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Protect against frost.

Incompatible materials

: Sources of ignition. Direct sunlight. Refer to Section 10 on Incompatible Materials.

Storage temperature

: 5 – 40 °C

7.3. Specific end use(s)

For professional use only. Dental materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

butane (106-97-8)		
United Kingdom	Local name	Butane
United Kingdom	WEL TWA (OEL TWA) [1]	1450 mg/m³
United Kingdom	WEL TWA (OEL TWA) [2]	600 ppm
United Kingdom	WEL STEL (OEL STEL)	1810 mg/m³
United Kingdom	WEL STEL (OEL STEL) [ppm]	750 ppm
United Kingdom	Remark (WEL)	Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene)
United Kingdom	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Safety Data Sheet

Super Glider spray

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Do not exceed the occupational exposure limits (OEL).

Hand protection:

Wear protective gloves. Nitrile rubber gloves. Butylrubber protective gloves. Layer thickness : >0,10mm. Breakthrough time : 6 (> 480 minutes). STANDARD EN 374.

Eye protection:

Use splash goggles when eye contact due to splashing is possible. STANDARD EN 166.

Respiratory protection:

Not required with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN140 with Type A/P2 filter or better

Other information:

Do not eat, drink or smoke during use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: aerosol.
Colour	: Colourless.
Odour	: None.
Odour threshold	: Not relevant.
pH	: Not determined.
Relative evaporation rate (butylacetate=1)	: Not determined.
Melting point	: Not determined.
Freezing point	: Not determined.
Boiling point	: Not determined.
Flash point	: Not determined.
Critical temperature	: Not determined.
Auto-ignition temperature	: Not determined.
Decomposition temperature	: Not determined.
Flammability (solid, gas)	: No data available
Vapour pressure	: Not determined.
Vapour pressure at 50 °C	: Not determined.
Critical pressure	: Not determined.
Relative vapour density at 20 °C	: Not determined.
Relative density	: Not determined.
Density	: Not determined.
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Pow)	: Not relevant.
Viscosity, kinematic	: Not determined.
Viscosity, dynamic	: Not determined.
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: Extremely flammable aerosol.
Explosive limits	: Not determined.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

Safety Data Sheet

Super Glider spray

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Vapours are heavier than air and may spread near ground to sources of ignition.

10.4. Conditions to avoid

Direct sunlight. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

None to our knowledge.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Additional information : Based on available data, the classification criteria are not met

butane (106-97-8)	
LC50 Inhalation - Rat	658 mg/l/4h LC50 Inhalation - Rat (Vapours)

isobutane (75-28-5)	
LC50 Inhalation - Rat (Vapours)	1237 mg/l/4h 2h

propane (74-98-6)	
LD50 oral rat	5000 mg/kg
LC50 Inhalation - Rat (Vapours)	1237 mg/l/4h

Skin corrosion/irritation : Not classified

pH: Not determined.

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

pH: Not determined.

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Super Glider spray	
Vaporizer	Aerosol
Viscosity, kinematic	Not determined.

Safety Data Sheet

Super Glider spray

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

butane (106-97-8)	
LC50 - Fish [1]	24.11 mg/l (96 hours)
EC50 - Crustacea [1]	14.22 mg/l (48 hours - Daphnia magna)
ErC50 algae	7.71 mg/l (96 hours)

isobutane (75-28-5)	
LC50 - Fish [1]	9.89 mg/l
EC50 - Crustacea [1]	8.96 mg/l

propane (74-98-6)	
LC50 - Fish [1]	16.9 g/l 96 hours
EC50 - Crustacea [1]	16.3 g/l (48 hours - Daphnia magna)
ErC50 algae	11.3 mg/l

12.2. Persistence and degradability

Super Glider spray	
Persistence and degradability	The product is easily biodegradable.

isobutane (75-28-5)	
Biodegradation	100 % 385,5 h

12.3. Bioaccumulative potential

Super Glider spray	
Partition coefficient n-octanol/water (Log Pow)	Not relevant.
Bioaccumulative potential	No bioaccumulation expected.

butane (106-97-8)	
BCF - Fish [1]	33.88
Partition coefficient n-octanol/water (Log Pow)	2.89

isobutane (75-28-5)	
Bioconcentration factor (BCF REACH)	26.92
Partition coefficient n-octanol/water (Log Pow)	2.82

propane (74-98-6)	
Bioconcentration factor (BCF REACH)	13.18
Partition coefficient n-octanol/water (Log Pow)	2.36

12.4. Mobility in soil

Super Glider spray	
Ecology - soil	No data available.

12.5. Results of PBT and vPvB assessment

Super Glider spray	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

Safety Data Sheet

Super Glider spray

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

12.6. Other adverse effects

Other adverse effects : None to our knowledge.
Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose as hazardous waste.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a hazardous or special waste collection point.
Additional information : The given LoW-code is a guiding, and the code depends on how the waste is formed. User must evaluate the choice of correct code.
Ecology - waste materials : Avoid release to the environment.
European List of Waste (LoW) code : 16 05 04* - gases in pressure containers (including halons) containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID /

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name				
AEROSOLS (butane ; isobutane ; propane)	AEROSOLS (butane ; isobutane ; propane)	Aerosols, flammable (butane ; isobutane ; propane)	AEROSOLS (butane ; isobutane ; propane)	AEROSOLS (butane ; isobutane ; propane)
14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	2.1
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F
Special provisions (ADR) : 190, 327, 344, 625
Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E0

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
Special provisions (IATA) : A145, A167, A802

Inland waterway transport

Classification code (ADN) : 5F
Special provisions (ADN) : 190, 327, 344, 625
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E0

Safety Data Sheet

Super Glider spray

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Rail transport

Special provisions (RID) : 190, 327, 344, 625
Limited quantities (RID) : 1L
Excepted quantities (RID) : E0
Hazard identification number (RID) : 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances
Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.
Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

National regulations

EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

SDS ID : 305310
Data sources : EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.
Other information : None.

Full text of H- and EUH-statements:	
Aerosol 1	Aerosol, Category 1
Flam. Gas 1A	Flammable gases, Category 1A
Press. Gas	Gases under pressure
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
EUH066	Repeated exposure may cause skin dryness or cracking.